

1 ANCHO/WIDTH: 9 mm

ESPESOR/THICKNESS: 0.8 mm / 1 mm



PERFIL/HEEL

LARGO/LENGTH

	60	70	80	90	100	110
PLANO / PLANO-O	●	●	●	●	●	●
10 / 10-O	●	●	●	●	●	●
20 / 20-O	●	●	●	●	●	●
30 / 30-O	●	●	●	●	●	●
40 / 40-O	●	●	●	●	●	●
50 / 50-O	●	●	●	●	●	●
80 / 80-O		●	●			

2 ANCHO/WIDTH: 10 mm

ESPESOR/THICKNESS: 0.8 mm / 1 mm



PERFIL/HEEL

LARGO/LENGTH

	60	70	80	90	100	110	120	130
01 / 01-O	●	●	●	●	●	●	●	●
02 / 02-O	●	●	●	●	●	●	●	●
03 / 03-O	●	●	●	●	●	●	●	●
04 / 04-O	●	●	●	●	●	●	●	●
05 / 05-O	●	●	●	●	●	●	●	●
06 / 06-O	●	●	●	●	●	●	●	●
07 / 07-O	●	●	●	●	●	●	●	●

3 ANCHO/WIDTH: 10 mm

ESPESOR/THICKNESS: 0.8 mm / 1 mm



PERFIL/HEEL

LARGO/LENGTH

	55	60	65	70	80	90	100	110
A-4 / A-4-O	●	●	●	●	●	●	●	●

4 ANCHO/WIDTH: 10 mm

ESPESOR/THICKNESS: 0.8 mm / 1 mm



PERFIL/HEEL

LARGO/LENGTH

	85	95	105
0 / 0-O	●	●	●
10 / 10-O	●	●	●
20 / 20-O	●	●	●

5 ANCHO/WIDTH: 12 mm

ESPESOR/THICKNESS: 1 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	75	85	95	105	115	125	135
0 / 0-O	•	•	•	•	•	•	•
10 / 10-O	•	•	•	•	•	•	•
20 / 20-O	•	•	•	•	•	•	•
30 / 30-O	•	•	•	•	•	•	•
40 / 40-O	•	•	•	•	•	•	•
50 / 50-O	•	•	•	•	•	•	•
60 / 60-O	•	•	•	•	•	•	•
70 / 70-O	•	•	•	•	•	•	•
X / X-O	•	•	•	•	•	•	•

6 ANCHO/WIDTH: 12 mm

ESPESOR/THICKNESS: 1 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	125	135
W-O	•	•

7 ANCHO/WIDTH: 12 mm

ESPESOR/THICKNESS: 1 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	85	95	105	115	125	135
0-VDI / 0-VDO	•	•	•	•	•	•
10-VDI / 10-VDO	•	•	•	•	•	•
20-VDI / 20-VDO	•	•	•	•	•	•
30-VDI / 30-VDO	•	•	•	•	•	•
40-VDI / 40-VDO	•	•	•	•	•	•
50-VDI / 50-VDO	•	•	•	•	•	•
X-VDI / X-VDO	•	•	•	•	•	•

8 ANCHO/WIDTH: 12 mm

ESPESOR/THICKNESS: 1 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	90	100	110	115	120	125
10-E / 10-E-O	•	•	•	•	•	•
20-E / 20-E-O	•	•	•	•	•	•
30-E / 30-E-O	•	•	•	•	•	•

9

ANCHO/WIDTH: 12 mm

ESPESOR/THICKNESS: 1 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	95	105
0-B	●	●
X-B	●	●

10

ANCHO/WIDTH: 12 mm

ESPESOR/THICKNESS: 1 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	95	105
0-SN	●	●
10-SN	●	●

11

ANCHO/WIDTH: 13 mm

ESPESOR/THICKNESS: 1.10 mm / 1.30 mm



PERFIL/HEEL

LARGO/LENGTH

	100	110	115	120	125	130
0 / 0-O	●	●	●	●	●	●
10 / 10-O	●	●	●	●	●	●
20 / 20-O	●	●	●	●	●	●
30 / 30-O	●	●	●	●	●	●
40 / 40-O	●	●	●	●	●	●
50 / 50-O	●	●	●	●	●	●
60 / 60-O	●	●	●	●	●	●
70 / 70-O	●	●	●	●	●	●
80 / 80-O	●	●	●	●	●	●

12

ANCHO/WIDTH: 13 mm

ESPESOR/THICKNESS: 1.10 mm / 1.30 mm



PERFIL/HEEL

LARGO/LENGTH

	95	105
0-SN	●	●
10-SN	●	●

13 ANCHO/WIDTH: 13 mm

ESPEJOR/THICKNESS: 1.10 mm / 1.30 mm



PERFIL/HEEL

LARGO/LENGTH

	160	170
130-397		●
130-545	●	
130-8860		●

14 ANCHO/WIDTH: 13 mm

ESPEJOR/THICKNESS: 1.10 mm / 1.30 mm



PERFIL/HEEL

LARGO/LENGTH

	130
130-391	●

15 ANCHO/WIDTH: 13 mm

ESPEJOR/THICKNESS: 1.10 mm / 1.30 mm



PERFIL/HEEL

LARGO/LENGTH

	115	120	125	130	135	140
SH-01	●		●		●	
SH-011		●		●		●

16 ANCHO/WIDTH: 13 mm

ESPEJOR/THICKNESS: 1.10 mm / 1.30 mm



PERFIL/HEEL

LARGO/LENGTH

	120
SH-003	●

17 ANCHO/WIDTH: 13 mm

ESPESOR/THICKNESS: 1.10 mm / 1.30 mm



PERFIL/HEEL	LARGO/LENGTH				
	100	110	115	120	125
9127-O	●	●	●		●
9277-O				●	

18 ANCHO/WIDTH: 13 mm

ESPESOR/THICKNESS: 1.10 mm / 1.30 mm



PERFIL/HEEL	LARGO/LENGTH		
	115	120	125
CH-103-O	●		
CH-104-O		●	
CH-105-O			●
CH-106-O	●		
CH-107-O		●	
CH-108-O			●

19 ANCHO/WIDTH: 13 mm

ESPESOR/THICKNESS: 1.10 mm / 1.30 mm



PERFIL/HEEL	LARGO/LENGTH							
	95	100	105	107	108	110	115	120
013-O	●			●	●		●	
130-306			●					
130-381							●	
RW-4338-O	●	●				●	●	●

20 ANCHO/WIDTH: 13 mm

ESPESOR/THICKNESS: 1.10 mm / 1.30 mm



PERFIL/HEEL	LARGO/LENGTH
	102
B1-O	●
552X68-O	●

21 ANCHO/WIDTH: 14 mm

ESPESOR/THICKNESS: 1 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	95	105	115	120	125	130
0 / 0-O	●	●	●	●	●	●
10 / 10-O	●	●	●	●	●	●
20 / 20-O	●	●	●	●	●	●
30 / 30-O	●	●	●	●	●	●
40 / 40-O	●	●	●	●	●	●
50 / 50-O	●	●	●	●	●	●
60 / 60-O	●	●	●	●	●	●
70 / 70-O	●	●	●	●	●	●
80 / 80-O	●	●	●	●	●	●
X / X-O	●	●	●	●	●	●

22 ANCHO/WIDTH: 14 mm

ESPESOR/THICKNESS: 1 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	100	110
C11M-PD	●	●
C7M-PD	●	●
CP9-PD	●	●

23 ANCHO/WIDTH: 14 mm

ESPESOR/THICKNESS: 1 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	120	125	130	135	140	145	150	155	165
791-O						●		●	●
BRU-M	●		●	●					
FRI-M	●		●		●				
GER-M			●		●		●		
MAP-M		●			●		●		
SEN-M					●		●		

24 ANCHO/WIDTH: 15 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	150	155	165	175	185	210	220
T-1	●	●	●	●	●	●	●
T-2	●	●	●	●	●	●	●
T-3	●	●	●	●	●	●	●
T-5	●	●	●	●	●	●	●
T-7	●	●	●	●	●	●	●
T-8	●	●	●	●	●	●	●
T-9	●	●	●	●	●	●	●
T-10	●	●	●	●	●	●	●
T-33	●	●	●	●	●	●	●
T-88	●	●	●	●	●	●	●

25 ANCHO/WIDTH: 15 mm

ESPEJOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	105	115	125
10-GR / 10-GR-O	•	•	•
20-GR / 20-GR-O	•	•	•
30-GR / 30-GR-O	•	•	•
40-GR / 40-GR-O	•	•	•
50-GR / 50-GR-O	•	•	•
55-GR / 55-GR-O	•	•	•
65-GR / 65-GR-O	•	•	•

26 ANCHO/WIDTH: 15 mm

ESPEJOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	102	112	120	128	136
3.5-O		•	•	•	•
4.5-O		•	•	•	•
5.5-O		•	•	•	•
6.5-O	•	•	•	•	•
7.5-O		•	•	•	•
8.5-O	•	•	•	•	•

27 ANCHO/WIDTH: 15 mm

ESPEJOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm



PERFIL/HEEL

LARGO/LENGTH

	105	115
9281-O	•	•

28 ANCHO/WIDTH: 16 mm

ESPEJOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



PERFIL/HEEL

LARGO/LENGTH

	85	95	105	115	125	135
0 / 0-O	•	•	•	•	•	•
10 / 10-O	•	•	•	•	•	•
20 / 20-O	•	•	•	•	•	•
30 / 30-O	•	•	•	•	•	•
40 / 40-O	•	•	•	•	•	•
50 / 50-O	•	•	•	•	•	•
60 / 60-O	•	•	•	•	•	•
70 / 70-O	•	•	•	•	•	•
X / X-O	•	•	•	•	•	•

29 ANCHO/WIDTH: 16 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



PERFIL/HEEL

LARGO/LENGTH

	105	115	125
10-RA	●		
20-RA	●		
30-RA	●	●	●
40-RA	●	●	●
50-RA	●	●	●
60-RA	●	●	
70-RA	●	●	

30 ANCHO/WIDTH: 16 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



PERFIL/HEEL

LARGO/LENGTH

	110	115	120	125	130	135	140	145
900-PC		●		●		●		
980-PC	●	●	●	●	●	●	●	
981-PC			●	●	●	●	●	
988-PC			●	●	●	●	●	●
994-PC		●	●	●	●	●		
995-PC		●	●	●	●	●		
996-PC		●	●	●	●	●	●	
997-PC	●	●	●	●	●	●		

31 ANCHO/WIDTH: 16 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



PERFIL/HEEL

LARGO/LENGTH

	110	115	120	125	130	135	140	145
AL-O	●	●	●	●	●	●	●	●

32 ANCHO/WIDTH: 16 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



PERFIL/HEEL

LARGO/LENGTH

	95	105	115	125	135
20-1000	●	●	●		
30-1000	●	●	●	●	●
40-1000		●	●		
50-1000		●	●		

33 ANCHO/WIDTH: 16 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



PERFIL/HEEL	LARGO/LENGTH					
	85	95	105	115	125	135
0-RE / 0-RE-O	•	•	•	•	•	•
10-RE / 10-RE-O	•	•	•	•	•	•
20-RE / 20-RE-O	•	•	•	•	•	•
30-RE / 30-RE-O	•	•	•	•	•	•
40-RE / 40-RE-O	•	•	•	•	•	•
50-RE / 50-RE-O	•	•	•	•	•	•
60-RE / 60-RE-O	•	•	•	•	•	•
70-RE / 70-RE-O	•	•	•	•	•	•

34 ANCHO/WIDTH: 16 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



PERFIL/HEEL	LARGO/LENGTH		
	105	115	125
0-PL / 0-PL-O	•	•	•
10-PL / 10-PL-O	•	•	•
20-PL / 20-PL-O	•	•	•
30-PL / 30-PL-O	•	•	•
40-PL / 40-PL-O	•	•	•
50-PL / 50-PL-O	•	•	•
60-PL / 60-PL-O	•	•	•
70-PL / 70-PL-O	•	•	•

35 ANCHO/WIDTH: 16 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



PERFIL/HEEL	LARGO/LENGTH			
	110	120	130	140
400	•	•	•	
401	•	•	•	•
402	•	•	•	
403	•	•	•	
404	•	•	•	
405	•	•	•	
407		•		

36 ANCHO/WIDTH: 16 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



PERFIL/HEEL	LARGO/LENGTH						
	105	110	111	117	123	130	140
40-PUN	•	•	•	•	•	•	•
50-PUN	•	•	•	•	•	•	•

37 ANCHO/WIDTH: 16 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



PERFIL/HEEL	LARGO/LENGTH									
	100	110	115	120	125	130	135	140	145	150
500	•	•	•	•	•	•	•	•	•	•
501							•		•	
502	•	•	•	•	•	•				
503						•				
504	•			•	•	•		•		•
505							•			
508						•	•	•		

38 ANCHO/WIDTH: 16 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



PERFIL/HEEL	LARGO/LENGTH				
	110	120	125	130	135
500-40-C				•	•
500-50-C				•	•
500-430-C	•	•	•	•	

39 ANCHO/WIDTH: 16 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



	PERFIL/HEEL	LARGO/LENGTH							
		135	140	145	150	155	160	165	170
	700-O		●		●		●		●
	790-O	●		●		●			
	791-O			●		●		●	
	5.5-O	●		●		●			
	7.5-O	●		●		●			

40 ANCHO/WIDTH: 16 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm



PERFIL/HEEL	LARGO/LENGTH						
	110	120	130	140	150	160	170
720				●	●	●	
721	●	●	●	●	●	●	●
723			●	●	●	●	
730		●	●	●	●	●	

41 ANCHO/WIDTH: 16 mm
ESPESOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm


PERFIL/HEEL

LARGO/LENGTH

	110
4-DN-O	•

42 ANCHO/WIDTH: 18 mm
ESPESOR/THICKNESS: 1.10 mm / 1.20 mm / 1.30 mm


PERFIL/HEEL

LARGO/LENGTH

	125	130	135	140	145	150	155	180
AL-O	•	•	•	•	•	•	•	•

43 ANCHO/WIDTH: 18 mm
ESPESOR/THICKNESS: 1.10 mm / 1.20 mm / 1.30 mm


PERFIL/HEEL

LARGO/LENGTH

	120	130	140
500-291	•	•	•

44 ANCHO/WIDTH: 20 mm
ESPESOR/THICKNESS: 1.50 mm


PERFIL/HEEL

LARGO/LENGTH

	110
30-O	•

45 ANCHO/WIDTH: 20 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm



PERFIL/HEEL

LARGO/LENGTH

	105	115	125
550	●	●	●

46 ANCHO/WIDTH: 20 mm

ESPESOR/THICKNESS: 1 mm / 1.10 mm



PERFIL/HEEL

LARGO/LENGTH

	100	105	110	115	120	125	130	140
600-O		●		●	●	●	●	●
601-O	●		●		●		●	

47 ANCHO/WIDTH: 22 mm

ESPESOR/THICKNESS: 1 mm



PERFIL/HEEL

LARGO/LENGTH

	115	125
9189-O	●	●

48 ANCHO/WIDTH: 25 mm

ESPESOR/THICKNESS: 1 mm / 1.30 mm




PERFIL/HEEL

LARGO/LENGTH

	120	125
625	●	●

49 ANCHO/WIDTH: 25 mm
ESPEJOR/THICKNESS: 1 mm / 1.30 mm

PERFIL/HEEL
LARGO/LENGTH
9208-O
115

50 ANCHO/WIDTH: 35 mm
ESPEJOR/THICKNESS: 1.10 mm

PERFIL/HEEL
LARGO/LENGTH
850
110

51 ANCHO/WIDTH: 35 mm
ESPEJOR/THICKNESS: 1.10 mm

PERFIL/HEEL
LARGO/LENGTH
851
110

52 ANCHO/WIDTH: 53 mm / 57 mm
ESPEJOR/THICKNESS: 1 mm / 1.10 mm / 1.20 mm / 1.50 mm

LARGO/LENGTH
150

155

160

165

170


53 CHAPA Nº3 / SEAT PLATE Nº3



LARGO/LENGTH

69

54 CHAPA Nº4 / SEAT PLATE Nº4



LARGO/LENGTH

67

55 CHAPA Nº5 / SEAT PLATE Nº5



LARGO/LENGTH

85

95

105

●

●

●

●

●

●

●

56 | TUBOS/TUBES



LARGO/LENGTH

20 30 40 50 60 70 80 90 100 110 120

LARGO/LENGTH

25 35 45 55 65 75 85 95 105 115 125

57 CLAVOS/ NAILS



58 REMACHES/RIVETS

